



VM Series Locators

- Compact & Lightweight
- Power Mode
- Two Active Frequencies
- Pushbutton Depth
- 1 Watt Transmitter



More Features..... Less Money



The VM Series Locators are a range of locators for those demanding performance and value for money.

Pipe & Cable Location

VM-480

One of the original Metrotech products, the VM-480 is the latest version of the traditional split box locator. It is used extensively as a low cost proven way of locating:

- ▶ Gas Pipes
- ▶ Water Pipes
- ▶ Municipal Applications



VM-550 & VM-560

Two totally new products - the VM-550 & VM-560 provide superior performance, more features in a light weight ergonomic package.

Features include:

	VM-550	VM-560
Power Mode	✓	✓
2 Active Frequencies	8 kHz, 83 kHz	8 kHz, 480 kHz
Push Button Depth	✓	✓
1 Watt Transmitter	8 kHz, 83 kHz	8 kHz, 480 kHz

Useful for all cable & pipe location over short to moderate distances.



Best value for money in low cost locators.

More Features

Lightweight construction Lightweight construction

Durable Durable Durable Durable Durable

Water resistant Water resistant Water resistant

Value for money Value for money Value for money

Sonde and Inspection (Sewer) Camera Location

VM-540

The first of a new generation of purpose built Sonde Locators. This instrument is designed for reliable daily use in hostile environments. Compatible with many Sondes & CCTV systems manufactured by others as well as those from Vivax-Metrotech. Why spend more?



Ferrous Metal Detector

VM-880

VM-880 combines excellent sensitivity with a host of other features including:

- ▶ One Touch Sensitivity
- ▶ Audio Signal Strength
- ▶ 50/60Hz Proximity Warning
- ▶ Field Polarity Indication
- ▶ Visual Signal Strength
- ▶ Unique Screen Inversion Feature

Used to locate buried ferrous objects.





Sondes (for VM-540 only)

D18-83-SR44



- ▶ 0.75" (18mm) x 3.1" (80mm) long, 83kHz, range 12ft (4m)
- ▶ 2 x button cell batteries

D38-83-AA



- ▶ 1.5" (38mm) x 4.1" (105mm) long, 83kHz, range 15ft (5m)
- ▶ 1 x AA battery

D64-83-LR61



- ▶ 2.5" (64mm) x 7.3" (186mm) long, 83kHz, range 24ft (8m)
- ▶ 1 x LR61 battery



Clamp (for VM-560 & VM-550 only)

To apply the transmitter signal to a target cable when safe access to the conductor is not possible.

- ▶ Dia. 2" (50mm)
- ▶ Dia. 4" (100mm)
- ▶ Dia. 5" (125mm)



For more information contact:

Vivax-Metrotech Corporation

3251 Olcott Street, Santa Clara, CA 95054
T/Free: +1-800-446-3392 Tel: +1-408-734-1400
Fax: +1-408-734-1415 Email: sales@vxmt.com

Vivax Canada Inc.

400 Esna Park Drive, Unit 17, Markham, Ontario, L3R 3K2, Canada
Tel: +1-289-846-3010 Fax: +1-905-752-0214
Email: CanadianSales@vxmt.com

